

NetSense s.r.l.

info@netsenseweb.com, netsense@pec.it

sede legale: via Novaluce n. 38 Pal.E- 95030 Tremestieri Etneo

(CT) Tel: 095.8996123 / Fax: 095.8991187



I.C. - "G. RODARI - G. NOSENCO"-GRAVINA DI CATANIA
Prot. 0001719 del 22/02/2024
IV-5 (Entrata)

Al Dirigente Scolastico
dell'istituto Comprensivo "G. Rodari – G. Nosengo"
di Gravina di Catania (CT)

Oggetto: Dichiarazione ai fini del collaudo parziale per fornitura: CUFFIE CON MICROFONO E FILO

MARCA: Plantronics- Poly Blackwire 3225

PNRR "Azione 1: Next generation classrooms - Ambienti di apprendimento innovativi".

Linea di investimento: M4C1I3.2 - Scuole 4.0: scuole innovative e laboratori.

Codice Identificativo progetto: M4C1I3.2-2022-961-P-25955

CUP: F14D23000610006

Titolo progetto: "Didattica e oltre..."

CIG: 9939240850

Il sottoscritto Antonio Pantò nato Catania il 09/10/1974 e residente in via Isonzo 13, 95027 San Gregorio di Catania (CT), Codice Fiscale PNTNTN74R09C351E, in qualità di legale rappresentante della ditta NetSense s.r.l., avente sede legale in via Novaluce 38, 95030, Tremestieri Etneo (CT), Codice Fiscale e Partita IVA 04253850871, email: info@netsenseweb.com PEC: netsense@pec.it

ai sensi degli art. 46 e 47 del dpr 28.12.2000 n. 445,

consapevole della responsabilità penale cui può andare incontro in caso di affermazioni mendaci ai sensi dell'art. 76 del medesimo dpr 445/2000:

DICHIARA CHE

i prodotti forniti sono in regola con le certificazioni e le iscrizioni al RAEE previste dal decreto legislativo 14 marzo 2014, n. 49 in attuazione della direttiva 2012/19/UE e nelle modifiche effettuate dal cosiddetto «decreto open scope» del 2018. Nello specifico la verifica di

conformità dei beni è riscontrabile al seguente link

<https://www.registroaee.it/RicercaProduttori>

Denominazione: INGRAM MICRO S.R.L. (MI) ITALIA n. iscrizione: IT08020000001209

2) i beni oggetto della presente non rientrano nelle categorie indicate nella Guida Operativa 20221021_MI, dei principi DNSH, Circolare n. 33 Ministero dell'Economia e delle Finanze, del 13 Ottobre 2022

Firma digitale¹ del legale rappresentante/procuratore²

Antonio
Panto'
22.02.2024
15:01:07
GMT+00:00



¹ Per gli operatori economici italiani o stranieri residenti in Italia, la dichiarazione deve essere sottoscritta da un legale rappresentante ovvero da un procuratore² del legale rappresentante, apponendo la firma digitale. Per gli operatori economici stranieri non residenti in Italia, la dichiarazione può essere sottoscritta dai medesimi soggetti apponendo la firma autografa ed allegando copia di un documento di identità del firmatario in corso di validità.

² Nel caso in cui la dichiarazione sia firmata da un procuratore del legale rappresentante deve essere allegata copia conforme all'originale della procura oppure nel solo caso in cui dalla visura camerale dell'operatore economico risulti l'indicazione espressa dei poteri rappresentativi conferiti con la procura, la dichiarazione sostitutiva resa dal procuratore/legale rappresentante sottoscrittore attestante la sussistenza dei poteri rappresentativi risultanti dalla visura.



BLACKWIRE 3200 SERIES

For faster UC deployments.

Flexibility you need—at a price you can afford.

Value and flexibility

BLACKWIRE 3200 SERIES

KEY FEATURES



- A** Leatherette ear cushions fold flat for easy storage (C3215/C3225)
- B** Call answer/end, mute, volume +/-
- C** Variants include universal USB or USB-C type connectivity
- D** 3.5 mm connectivity lets you work on a variety of mobile devices (C3215/C3225)

BLACKWIRE 3210/3215 (MONAURAL)



BLACKWIRE 3220/3225 (STEREO)



INCLUDED ACCESSORIES

- Carrying case for easy storage and portability (C3215/C3225)

The Blackwire 3200 Series corded UC headsets are durable, lightweight, easy to deploy and come in a variety of connectivity and wearing options. Add insights from Plantronics Manager Pro, an additional service, and you've got a future proof solution. The Blackwire 3200 series with Plantronics signature audio provides top notch features at a price you can afford.

TOP FEATURES

- Available in monaural (C3210/C3215) or hi-fi stereo with passive noise reduction (C3220/C3225)
- Variants include universal USB or USB-C
- Connectivity to smartphone and tablet via 3.5 mm (C3215/C3225)
- Intuitive inline controls to answer/end calls, control volume, and mute
- PC wideband audio with noise-canceling microphones for high-quality PC telephony
- Plantronics Manager Pro, an additional purchase, enables your IT team to gain insight into every compatible Plantronics headset being used company-wide

SPECIFICATIONS

Connects to	PC via USB/USB-C, connects to mobile devices and tablets via 3.5 mm and devices that support USB-C
Compatible with	Windows® or Mac OS
Ideal for	Users transitioning to PC telephony for webinars, conference calls, music, and other multimedia applications
PC audio performance	Dynamic EQ, microphone frequency response 100 Hz–10 kHz optimal for PC wideband voice telephony (up to 6,800 Hz), hi-fi stereo (C3220/C3225). Receive output from 20 Hz–20 kHz, enhanced digital signal processing (DSP), noise-canceling microphone, adjustable audio alerts with Plantronics Hub software (mute/volume)*
Hearing protection	SoundGuard: Acoustic limiting for protection against sounds above 118 dBA
Remote call control	Call answer/ignore/end/hold, redial, mute, volume +/-
Models	C3210 USB (Monaural); C3210 USB-C (Monaural); C3215 USB (Monaural with 3.5 mm); C3215 USB-C (Monaural with 3.5 mm); C3220 USB (Stereo); C3220 USB-C (Stereo); C3225 USB (Stereo with 3.5 mm); C3225 USB-C (Stereo with 3.5 mm); Built for UC applications and softphones from Avaya®, Cisco®, Microsoft® and more*. Certified for Skype for Business

Weights	Total weight		Headset top		Bottom cable to USB-A		Bottom cable to USB-C	
	Grams	Lbs/oz	Grams	Lbs/oz	Grams	Lbs/oz	Grams	Lbs/oz
Blackwire 3210	87	0.192	–	–	–	–	–	–
Blackwire 3215	96	0.212	64	0.141	32	0.071	32	0.071
Blackwire 3220	118	0.26	–	–	–	–	–	–
Blackwire 3225	121	0.267	92	0.203	29	0.064	29	0.064

*Download the latest release of Plantronics Hub software to get one-touch call answer/end with these softphones.

For more information about the Blackwire 3200 Series or other Plantronics products, please visit our website at plantronics.com.

GLOBAL CUSTOMER CARE

Backed by Plantronics industry-leading global service and support.



FLEXIBILITY YOU NEED— AT A PRICE YOU CAN AFFORD.

BENEFITS

- Leatherette ear cushions fold flat for easy storage (C3215/C3225).
- Call answer/end, mute, volume +/-.
- Variants include universal USB or USB-C type connectivity.
- 3.5 mm connectivity lets you work on a variety of mobile devices (C3215/C3225).

BLACKWIRE 3200 SERIES

The Blackwire 3200 Series corded UC headsets are durable, lightweight, easy to deploy and come in a variety of connectivity and wearing options. Add insights from Plantronics Manager Pro, an additional service, and you've got a future proof solution. The Blackwire 3200 series with Poly's signature audio provides top notch features at a price you can afford.

- Available in monaural (C3210/C3215) or hi-fi stereo with passive noise reduction (C3220/C3225).
- Variants include universal USB or USB-C.
- Connectivity to smartphone and tablet via 3.5 mm (C3215/C3225).
- Intuitive inline controls to answer/end calls, control volume, and mute.
- PC wideband audio with noise-canceling microphones for high-quality PC telephony.
- Plantronics Manager Pro, an additional purchase, enables your IT team to gain insight into every compatible Plantronics headset being used company-wide.

BLACKWIRE 3200 SERIES



C3210



C3215



C3220



C3225

SPECIFICATIONS

CONNECTS TO

- PC via USB/USB-C, connects to mobile devices and tablets via 3.5 mm and devices that support USB-C

COMPATIBLE WITH

- Windows® or Mac OS

IDEAL FOR

- Users transitioning to PC telephony for webinars, conference calls, music, and other multimedia applications

PC AUDIO PERFORMANCE

- Dynamic EQ, microphone frequency response 100 Hz–10 kHz optimal for PC wideband voice telephony (up to 6,800 Hz), hi-fi stereo (C3220/C3225). Receive output from 20 Hz–20 kHz, enhanced digital signal processing (DSP), noise-canceling microphone, adjustable audio alerts with Plantronics Hub software (mute/volume)*

HEARING PROTECTION

- SoundGuard: Acoustic limiting for protection against sounds above 118 dBA

REMOTE CALL CONTROL

- Call answer/ignore/end/hold, redial, mute, volume +/-

SPEAKER SIZE

- 28 mm/ 0.09 ft

INPUT IMPEDANCE

- 32 ohms

SPEAKER SENSITIVITY

- 90dB*

SPEAKER BANDWIDTH (SPEECH MODE)

- 200-6800Hz

SPEAKER BANDWIDTH (MEDIA MODE)

- 20-20000Hz

MAXIMUM ACOUSTIC OUTPUT

- 118dB SPL

MICROPHONE SENSITIVITY

- -38dBV/Pa

MICROPHONE BOOM LENGTH

- 130 mm / 0.43 ft

MICROPHONE BANDWIDTH

- 100-10000Hz

WEIGHT (WITH CABLE)

- 87 g/ 0.19 lbs (C3210)
- 96 g/ 0.21 lbs (C3215)
- 118 g/ 0.26 lbs (C3220)
- 121 g/ 0.27 lbs (C3225)

WEIGHT (WITHOUT CABLE)

- 64 g/ 0.14 lbs (C3210, 3215)
- 92 g/ 0.20 lbs (C3220, 3225)

CABLE LENGTH (INLINE MODULE TO HEADSET)

- 790 mm/ 2.59 ft (C3210, 3220)
- 1295 mm/ 4.25 ft (C3215, 3225)

CABLE LENGTH (USB TO INLINE MODULE)

- 900 mm/ 2.95 ft

CABLE LENGTH (TOTAL USB TO HEADSET)

- 1610 mm/ 5.28 ft (C3210, 3220)
- 2270 mm/ 7.45 ft (C3215, 3225)

HEADBAND ADJUSTMENT

- 35 mm/ 0.11 ft (C3210, 3215)
- 70 mm/ 0.23 ft (C3220, 3225)

BOOM ROTATION

- 270° (C3210, 3215, 3220, 3225)

MODELS

- **C3210 USB** (Monaural); **C3210 USB-C** (Monaural); **C3215 USB** (Monaural with 3.5 mm); **C3215 USB-C** (Monaural with 3.5 mm); **C3220 USB** (Stereo); **C3220 USB-C** (Stereo); **C3225 USB** (Stereo with 3.5 mm); **C3225 USB-C** (Stereo with 3.5 mm); Built for UC applications and softphones from Avaya®, Cisco®, Microsoft® and more*. Certified for Skype for Business

* 1mW/1kHz 0.01m open field

LEARN MORE

For more information on Blackwire 3200 Series visit www.poly.com/blackwire-3200

I.C. - "G. RODARI - G. NOSENGO"-GRAVINA DI CATANIA
 Prot. 0001748 del 23/02/2024
 VI-2 (Entrata)



Registro A.E.E.

[Home](#) » [Registro AEE](#) » [Produttori](#)

Produttori iscritti al Registro AEE

- Home**

- Scrivanie Telematiche**

 - [Produttori](#)
 - [Sistemi Collettivi di Finanziamento](#)

- Registro AEE**

 - [Produttori](#)
 - Sistemi Finanziamento Individuale**
 - Sistemi Collettivi di Finanziamento**

- Informazioni Utili**

- Registri Europei**

- Delibere del CDV**

- Help**

 - [Verifica Compatibilità](#)

- Area Riservata Enti**

 - [Accesso](#)

Ricerca

Numero iscrizione Codice Fiscale

Profilo

Ragione Sociale contiene inizia per

Apparecchiatura

Soggetto

Tipo soggetto

Nazione Provincia

Legenda: ■ iscritto ■ sospeso

25 righe per pagina

Numero iscrizione		Denominazione	Provincia	Nazione
IT08020000001209	■	INGRAM MICRO S.R.L.	MILANO	ITALIA

Da 1 a 1 di 1

Segui @MUD_Ecocerved



Home » Registro AEE » Produttori

Home

Scrivanie Telematiche

[Produttori](#)

[Sistemi Collettivi di
Finanziamento](#)

Registro AEE

[Produttori](#)

**[Sistemi Finanziamento
Individuale](#)**

**[Sistemi Collettivi di
Finanziamento](#)**

Informazioni Utili

Registri Europei

Delibere del CDV

Help

[Verifica Compatibilità](#)

Area Riservata Enti

[Accesso](#)

Segui @MUD_Ecocerved

The logo for ecocamere, featuring the word "ecocamere" in a lowercase, sans-serif font. The "eco" part is in a light blue color, and "camere" is in black. The "e" in "eco" is stylized with a circular shape around it.

I.C. - "G. RODARI - G. NOSENGO"-GRAVINA DI CATANIA
 Prot. 0001720 del 22/02/2024
 VI-2 (Entrata)



Registro A.E.E.

[Home](#) » [Registro AEE](#) » [Produttori](#)

- [Home](#)

- Scrivanie Telematiche**

 - [Produttori](#)
 - [Sistemi Collettivi di Finanziamento](#)

- Registro AEE**

 - [Produttori](#)
 - Sistemi Finanziamento Individuale**
 - Sistemi Collettivi di Finanziamento**

- Informazioni Utili**

- Registri Europei**

- Delibere del CDV**

- Help**

 - [Verifica Compatibilità](#)

- Area Riservata Enti**

 - [Accesso](#)

Produttori iscritti al Registro AEE

Ricerca

Numero iscrizione Codice Fiscale

Profilo

Ragione Sociale contiene inizia per

Apparecchiatura

Soggetto

Tipo soggetto

Nazione Provincia

Legenda: ■ iscritto ■ sospeso

25 righe per pagina

Numero iscrizione		Denominazione	Provincia	Nazione
IT1404000008353	■	PLANTRONICS B.V.	MONZA E DELLA BRIANZA	ITALIA

Da 1 a 1 di 1 << < 1 > >>

